

МІЖРЕГІОНАЛЬНА АКАДЕМІЯ УПРАВЛІННЯ ПЕРСОНАЛОМ
INTERREGIONAL ACADEMY OF PERSONNEL MANAGEMENT



ISSN 2786-7153 (Print)
ISSN 2786-7161 (Online)

**СУЧАСНА МЕДИЦИНА,
ФАРМАЦІЯ
ТА ПСИХОЛОГІЧНЕ ЗДОРОВ'Я**

**MODERN MEDICINE,
PHARMACY
AND PSYCHOLOGICAL HEALTH**

**ВИПУСК 2 (16)
ISSUE 2 (16)**

2024



**Видавничий дім
«Гельветика»
2024**

***Recommended for publication
by Interregional Academy of Personnel Management
(Minutes No. 8 dated 27.06.2024)***

Modern Medicine, Pharmacy and Psychological Health / [chief editor N. Svyrydova]. – Kyiv: Interregional Academy of Personnel Management, 2024. – Issue 2 (16). – 112 p.

Journal «Modern Medicine, Pharmacy and Psychological Health» is a peer-reviewed scientific medical edition, which publishes materials of scientists of various levels in the form of scientific articles for the purpose of their dissemination both among domestic researchers and abroad.

Editorial board do not necessarily reflect the position expressed by the authors of articles, and are not responsible for the accuracy of the data and references.

Until September 2, 2022, the journal had a name “Psychological Health”.

***The idea of creating
edition:***

Nina Koliadenko – Doctor of Medicine, Associate Professor, professor of the Department of Medical Psychology of the Institute of Medical and Pharmaceutical Sciences, Interregional Academy of Personnel Management (Ukraine).

Chief editor:

Svyrydova N. K. – MD. of Sciences, prof., acting Director of the Institute of Medical and Pharmaceutical Sciences, Interregional Academy of Personnel Management (Ukraine).

Editorial Board:

Natalia Berezniakova – Doctor of Pharmacy, Professor, Senior Lecturer at the Department of Medical Chemistry, National University of Pharmacy (Ukraine); **Ihor Bielenichev** – Doctor of Biology, Professor, Head of the Department of Pharmacology and Medical Formulation with Course of Normal Physiology, Zaporizhzhia State Medical and Pharmaceutical University (Ukraine); **Nadiia Horchakova** – Doctor of Medicine, Professor at the Department of Pharmacology, Bogomolets National Medical University (Ukraine); **Oleksandra Holovchanska** – Doctor of Medicine, Associate Professor, Senior Lecturer at the Department of Dentistry, Bogomolets National Medical University (Ukraine); **Anna Doroshenko** – PhD in Pharmacy, Assistant at Pharmacology Department, Bogomolets National Medical University (Ukraine); **Olena Doroshenko** – Doctor of Medicine, Professor, Director of the Institute of Dentistry, Shupyk National Healthcare University of Ukraine (Ukraine); **Oleh Druz** – Doctor of Medicine, Honored Doctor of Ukraine, Head of the Psychiatry Clinic, National Military Medical Clinical Center «Main Military Clinical Hospital», Professor at the Department of Medical Psychology, Institute of Medical and Pharmaceutical Sciences, Interregional Academy of Personnel Management (Ukraine); **Khrystyna Zhyvaho** – Doctor of Medicine, Associate Professor of the Department of Medical Psychology, Higher educational institution "Interregional Academy of Personnel Management" (Ukraine); **Tetiana Iliina** – Doctor of Pharmacy, Professor, Professor at the Department of Pharmacognosy, Kyiv Medical University (Ukraine); **Andrii Karachevskiy** – PhD in Medicine, Associate Professor, Senior Lecturer at the Department of General, Child, Forensic Psychiatry and Narcology, Shupyk National Healthcare University of Ukraine (Ukraine); **Igor Kireyev** – Doctor of Medicine, Professor, Professor of the Department of Pharmacology and Pharmacotherapy, National University of Pharmacy (Ukraine); **Dmytro Maltsev** – PhD in Medicine, Associate Professor, Head of the Laboratory of Immunology and Molecular Biology of the Institute of Experimental and Clinical Medicine, Bogomolets National Medical University (Ukraine); **Borys Mykhailov** – Doctor of Medicine, Professor, Professor at the Department of General, Child, Forensic Psychiatry and Narcology, Shupyk National Healthcare University of Ukraine (Ukraine); **Mohamad Nusier Khalid Ibrahim** – Doctor of Medicine, Professor, Head of the Department of Biochemistry, Jordan University of Science and Technology (Irbid, Jordan); **Anzhela Olkhovska** – Doctor of Pharmacy, Associate Professor, Professor at the Department of General and Clinical Pharmacy, Interregional Academy of Personnel Management (Ukraine); **Oleg Panchenko** – Doctor of Medicine, Professor, General director, State Institution "Scientific and Practical Medical Rehabilitation and Diagnostic Center the Ministry of Health Care of Ukraine" (Ukraine); **Nataliia Svyrydova** – Doctor of Medicine, Professor, Head of the Department of Neurology and Reflexotherapy, Shupyk National Healthcare University of Ukraine (Ukraine); **Vitalii Omelianovych** – Doctor of Medicine, Professor, Professor at the Department of General, Child, Forensic Psychiatry and Narcology, Shupyk National Healthcare University of Ukraine (Ukraine); **Oleksii Soloviov** – Doctor of Medicine, Doctor of Pharmacy, Professor, Professor at the Department of General and Clinical Pharmacy of the Institute of Medical and Pharmaceutical Sciences, Interregional Academy of Personnel Management (Ukraine); **Oleksandr Kharchenko** – Doctor of Medicine, Professor at the Department of Anatomy, Clinical Anatomy, Operative Surgery, Anatomic Pathology and Forensic Medicine of the Medical Institute, Petro Mohyla Black Sea National University (Ukraine); **Inna Chernenko** – PhD in Medicine, Resident of the Psychiatry Clinic, National Military Medical Clinical Center «Main Military Clinical Hospital», Senior Lecturer at the Department of Medical Psychology, Institute of Medical and Pharmaceutical Sciences, Interregional Academy of Personnel Management (Ukraine); **Valerii Chernob** – Doctor of Medicine, Professor, Professor at the Department of Anatomy, Clinical Anatomy, Operative Surgery, Anatomic Pathology and Forensic Medicine of the Medical Institute, Petro Mohyla Black Sea National University (Ukraine); **Vitalii Chopchyk** – Doctor of Medicine, Associate Professor, Professor at the Department of Dentistry, Bogomolets National Medical University (Ukraine).

*Registration of Print media entity: Decision of the National Council of Television and Radio Broadcasting of Ukraine:
Decision No. 1173 as of 11.04.2024.*

The journal “Modern Medicine, Pharmacy and Psychological Health” is included in the List of scientific professional periodicals of Ukraine (category B) according to the Order of the MES of Ukraine № 530 (Annex 2) dated 06.06.2022, Order of MES of Ukraine No. 1166 (Annex 3) dated 23.12.2022, Order of MES of Ukraine No. 491 (Annex 3) dated 27.04.2023. Specialities: 225 – Medical psychology, 226 – Pharmacy, 221 – Stomatology, 222 – Medicine.

All electronic versions of articles in the collection are available on the official website edition
<http://journals.maup.com.ua/index.php/psych-health>

The articles were checked for plagiarism using the software
StrikePlagiarism.com developed by the Polish company Plagiat.pl.

© Interregional Academy of Personnel Management, 2024
© Copyright by the contributors, 2024

CONTENTS

MEDICINE

Olga VERNER, Natalia SVYRYDOVA, Gennadii CHUPRYNA, Vitaly SEREDA, Nadiya TORDIYA THE USE OF REFLEXOTHERAPY ACCORDING TO THE METHOD OF «BALANCING HEXAGRAMS» IN THE COMPLEX REHABILITATION OF THORACALGIA WITH LONG-TERM PAIN SYNDROME.....	8
Fedir HLADKYKH THE FUNCTIONAL STATE OF THE KIDNEYS IN EXPERIMENTAL AUTOIMMUNE HEYMAN NEPHRITIS AGAINST THE BACKGROUND OF THE INTRODUCTION OF CRYOEXTRACTS OF THE PLACENTA AND SPLEEN, AS WELL AS THE CONDITIONED MEDIUM OF MESENCHYMAL STEM CELLS.....	13
Tetiana KOMAROVA, Vita KONAKH VITAMIN D: A NEW PERSPECTIVE ON ITS ROLE IN OPHTHALMIC PATHOLOGIES.....	24
Natalia SVYRYDOVA, Gennadii CHUPRYNA, Vitaly SEREDA, Olga VERNER, Nadiya TORDIYA THE POSSIBILITY OF APPLYING REFLEXOTHERAPY USING THE «BALANCING OF HEXAGRAMS» METHOD IN COMPLEX REHABILITATION OF WOMEN WITH REPRODUCTIVE DISORDERS	35
Vitaly SEREDA, Natalia SVYRYDOVA, Gennadii CHUPRYNA, Olga VERNER, Nadiya TORDIYA THE USE OF REFLEXOTHERAPY ACCORDING TO THE METHOD OF «BALANCING HEXAGRAMS» IN THE COMPLEX REHABILITATION OF VERTEBROGENIC LUMBOISCHIALGIA WITH LONG-TERM PAIN SYNDROME.....	39
Liliia SOROKA CORRELATION BETWEEN EPILEPTIC SEIZURES AND SPEECH DISORDERS IN CHILDREN	45
Pavlo TANASIENKO, Serhiy GURIEV, Ivan KOVALISHYN COMPARATIVE CHARACTERISTICS OF TREATMENT METHODS FOR FLOATING HIP FRACTURES IN PATIENTS WITH POLYTRAUMA	51
Gennadii CHUPRYNA, Vitaly SEREDA, Natalia SVYRYDOVA, Olga VERNER, Nadiya TORDIYA THE USE OF REFLEXOTHERAPY ACCORDING TO THE METHOD OF «BALANCING HEXAGRAMS» IN COMPLEX REHABILITATION OF CHRONIC TENSION HEADACHE	56

STOMATOLOGY

Oleksiy BIDA, Anatoly KUTSYUK EVALUATION OF THE SUCCESS OF DIRECT AND INDIRECT RESTORATIONS IN THE REPLACEMENT OF DEFECTS OF HARD TISSUES OF CHEWING TEETH WITH DIFFERENT DEGREES OF THEIR DESTRUCTION...60	
Pavlo BREKHLICHUK HISTORICAL ASPECTS OF DEVELOPMENT AND CURRENT STATUS OF FORENSIC DENTAL EXPERTISE (LITERATURE REVIEW).....	69
Olena DOROSHENKO, Oleksandr SHEPELYNSKIY STUDY OF THE FUNCTIONAL ACTIVITY OF MASTICATORY MUSCLES IN PATIENTS WITH COMPLETE LOSS OF TEETH, REHABILITATED WITH DIFFERENT DESIGNS OF DENTAL PROSTHESES.....	75
Mykola ROZHKO, Oleg SAVCHUK, Rostyslav STUPNYTSKYI, Anastasia DENG, I.-O. STUPNYTSKYI PERSPECTIVES OF THE DIGITAL METHODS OF DIAGNOSIS USAGE AND PLANNING OF DENTAL TREATMENT IN MILITARY FIELD CONDITIONS.....	81

MEDICAL PSYCHOLOGY

Ivan KLYMENKO

THE ROLE OF PSYCHOLOGISTS IN IMPLEMENTING A COMPREHENSIVE MEDICAL-PSYCHOLOGICAL ASSISTANCE PROGRAM FOR REFUGEES: EXPERIENCE AND CHALLENGES.....85

Tetiana SHEVCHUK

ASSESSMENT OF THE PSYCHO-EMOTIONAL STATE OF MEDICAL FACULTY STUDENTS AT THE STAGE OF ADAPTATION TO EDUCATIONAL PROCESS.....91

PHARMACY, INDUSTRIAL PHARMACY

Olena KUCHMISTOVA, Nataliia ZAIARNIUK, Nataliia MONKA, Aelita KRYCHKOVSKA, Viktoriia TARASENKO

PATENT SEARCH CLUSTER IN THE DEVELOPMENT OF A NEW MEDICINAL AND COSMETIC PRODUCT IN THE FORM OF LIPSTICK96

Zeyuan SUN, Tetiana DERKACH

ANTIOXIDANT ACTIVITIES OF PETROLEUM ETHER, ETHYL ACETATE, N-BUTANOL AND AQUEOUS EXTRACTS FROM *SPERANSKIA TUBERCULATA (BUNGE) BAILL* HERB.....101

Svitlana FEDENKO, Tetiana VOLOSHENIUK, Galina RIZAK

ANALYSIS OF THE INFLUENCE OF INNOVATIVE TECHNOLOGIES ON THE DEVELOPMENT OF THE PHARMACEUTICAL MARKET IN UKRAINE.....106

UDC 615.814.1

DOI <https://doi.org/10.32689/2663-0672-2024-2-8>

Gennadii CHUPRYNA

Doctor of Medical Sciences, Professor at the Department of Therapy and Rehabilitation, Interregional Academy of Personnel Management, gen7chupryna@gmail.com

ORCID: 0000-0003-1351-015X

Vitaly SEREDA

Candidate of Medical Sciences, Head of the Department of General Medical Disciplines, Interregional Academy of Personnel Management, servit1967@gmail.com

ORCID: 0000-0003-2498-0333

Natalia SVYRYDOVA

Doctor of Medical Sciences, Professor, Director of the Institute of Medical and Pharmaceutical Sciences, Interregional Academy of Personnel Management, natalia.svyrydova@gmail.com

ORCID: 0000-0002-2166-5904

Olga VERNER

Candidate of Medical Sciences, Department of General Medical Disciplines, Interregional Academy of Personnel Management, tavr77@ukr.net

ORCID: 0000-0002-7588-5742

Nadiya TORDIYA

Candidate of Biological Sciences, Department of General Medical Disciplines, Interregional Academy of Personnel Management, ntordiya@yahoo.com

ORCID: 0009-0007-9005-2873

**THE USE OF REFLEXOTHERAPY ACCORDING TO THE METHOD OF «BALANCING HEXAGRAMS»
IN COMPLEX REHABILITATION OF CHRONIC TENSION HEADACHE**

The article raises the following topical issues – the topic of comprehensive treatment of chronic tension headache. In terms of prevalence, this is the most frequent headache among all cephalalgias. This pain is such that a person can endure it for a week, but it is prone to a prolonged course. Reflexotherapy is indicated in the case when the previous treatment is not effective enough.

Reflexotherapy for cephalgias is indicated both due to its powerful pain-relieving mechanisms and due to the fact that it is able to improve the psycho-emotional state, and is able to remove excessive pathological impulses, mainly vagal, which occurs against the background of the pathology of the affected organ and causes the prolongation of cephalgias.

The article also presents the main theoretical principles of the «balancing hexagrams» method and its practical implementation. A clinical case is presented: chronic tension headache in a patient with secondary insomnia, arterial hypertension, chronic gastritis. The methods of acupuncture diagnostics are presented, the description of acupuncture correction is given, the features of the «favorable» hexagram are considered.

Purpose. To consider the features of the use of reflexology using the method of «balancing hexagrams» in the complex rehabilitation of chronic tension headaches.

Scientific novelty. For the first time in our country, the method of compiling acupuncture prescriptions and acupuncture using the method of «balancing hexagrams» was used in the complex rehabilitation of chronic tension headaches.

Methods. We consider one clinical case of the use of reflexotherapy using the method of «balancing hexagrams» in the complex rehabilitation of chronic tension headache. Methods of clinical objective neurological examination, syndromic diagnosis method of traditional Chinese medicine, pulse diagnosis method, and tongue diagnosis method were used.

Results. As a result of treatment using the «balancing hexagrams» method, the patient's condition improved: the intensity of the headache decreased, muscle spasms and blood flow to the face began to bother him less, blood pressure stabilized, sleep disorders, and bitterness in the mouth became less pronounced.

Conclusions. 1. In the practice of a neuropathologist and a reflexologist, there are patients with chronic tension headaches.

2. The use of the acupuncture method «balancing hexagrams» can be effective in the complex of treatment measures for chronic tension headache.

Key words: chronic tension headache, rehabilitation, reflexology, «balancing hexagrams» method.

Геннадій Чуприна, Віталій Середа, Наталія Свиридова, Ольга Вернер, Надія Тордія. ЗАСТОСУВАННЯ РЕФЛЕКСОТЕРАПІЇ ЗА МЕТОДОМ «БАЛАНСУВАННЯ ГЕКСАГРАМ» В КОМПЛЕКСНІЙ РЕАБІЛІТАЦІЇ ХРОНІЧНОГО ГОЛОВНОГО БОЛЮ НАПРУГИ

У статті піднімаються такі актуальні питання – тема комплексного лікування хронічного головного болю напруги. За поширеністю – це найчастіший головний біль серед усього числа цефалгій. Цей біль такий, що людина може його

терпіти впродовж тижня, але він схильний до пролонгованого перебігу. Рефлексотерапія показана у тому випадку, коли виявляється недостатньо ефективним попереднє лікування.

Рефлексотерапія при цефалгіях показана як завдяки своїм потужним протибольовим механізмам, так і за рахунок того, що вона здатна поліпшити психоемоційний стан, і здатна зняти зайву патологічну імпульсацію, переважно вагусну, яка виникає на тлі патології ураженого органу і викликає пролонгацію цефалгії.

В статті також представлено основні теоретичні засади методу «балансування гексаграм» і його практичну реалізацію. Подано клінічний випадок: хронічний головний біль напруги у хворого з вторинною інсомнією, артеріальною гіпертензією, хронічним гастритом. Наведено методи акупунктурної діагностики, подано описання акупунктурної корекції, розглянуто особливості «сприятливої» гексаграми.

Мета. Розглянути особливості застосування рефлексотерапії за методом «балансування гексаграм» в комплексній реабілітації хронічного головного болю напруги.

Наукова новизна. Вперше в нашій країні використано методику складання акупунктурних рецептів і акупунктуру за методом «балансування гексаграм» в комплексній реабілітації хронічного головного болю напруги.

Методи. Ми розглядаємо один клінічний випадок застосування рефлексотерапії за методом «балансування гексаграм» в комплексній реабілітації хронічного головного болю напруги. Використані методи клінічного об'єктивного неврологічного обстеження, метод синдромальної діагностики традиційної Китайської медицини, метод діагностики по пульсу, метод діагностики по язичку.

Результати. В результаті лікування за методом «балансування гексаграм» стан хворого поліпшився: зменшилась вираженість головного болю, м'язові спазми і припливи крові до обличчя стали менше його турбувати, стабілізувався артеріальний тиск, стали менше вираженими розлади сну, гіркота у роті.

Висновки. 1. У практиці невропатолога та рефлексотерапевта зустрічаються хворі на хронічний головний біль напруги.

2. У комплексі лікувальних заходів при хронічному головному болі напруги ефективним може бути застосування акупунктурного методу «балансування гексаграм».

Ключові слова: хронічний головний біль напруги, реабілітація, рефлексотерапія, метод «балансування гексаграм».

Introduction. The effective use of reflexotherapy in the case of delayed recovery of the functions in many cases has long been known [1,3,4].

In acupuncture, if you have already mastered the basic techniques of manipulating acupuncture needles and acupuncture diagnostics, an important point is the process of making acupuncture prescriptions [6,7,8].

Sometimes it happens that the patient has already received a course of treatment with reflexotherapy methods with an incomplete effect [4]. Then the method of making acupuncture recipes «balancing hexagrams» comes to the rescue [11].

Presentation of the main material. The method of «balancing hexagrams» is a method of compiling acupuncture recipes using the I Ching, it is used when there is a lack of «vital energy» (that is, energy for recovery in case of some problem). Frequency of its application: 1 session for 4-5 «nosological» reflexotherapy procedures [11].

The purpose of the «balancing hexagrams» method is to transform the state of the «affected» acupuncture channel and the corresponding «affected» hexagram to the energy level of the «favorable» hexagram, thereby positively changing the CHI (vital energy) of the «affected» acupuncture channel and the CHI of the entire body [11].

Basics of the «balancing hexagrams» method: according to this method, we first determine the hexagram for an unbalanced (affected) acupuncture channel («affected hexagram»), then determine a «favorable» hexagram for it [11].

These two hexagrams are placed next to each other so that all six lines of each hexagram are next to each other.

These lines (Yao) of each hexagram reflect parts of the human body, acupuncture channels and pathological conditions, YIN and YANG categories, as well as acupuncture points.

Reflexotherapy procedure according to the method of «balancing hexagrams»: according to this method, an acupuncture procedure is performed at the acupuncture points of the «affected» acupuncture channel, when the lines of the «affected» hexagram are opposite to the lines of the «favorable» hexagram [5,11].

Acupuncture points corresponding to these risks are pricked, because they correspond to stagnation of CHI in these acupuncture channels, and when pricking these acupuncture points, stagnation must be eliminated – that is, the acupuncture channel is cleansed of stagnant energy. Treatment of CHI disorders in the acupuncture channel restores the energy balance in it.

At the same time, when the lines of the «affected» hexagram are similar to the lines of the «favorable» hexagram, the acupuncture procedure is not performed at the corresponding acupuncture points of the «affected» acupuncture meridian.

Thus, the treatment of the «affected» acupuncture channel consists in «bringing» the condition of the «affected» hexagram to the level of the «favorable» hexagram through an acupuncture procedure at the corresponding acupuncture points, thereby transforming the of the acupuncture meridian and the entire body.

Recommendations for using the «balancing hexagrams» method:

1. If the pathology is unilateral, we affect it from the opposite side.

2. If the pathology is bilateral (generalized), we affect men on the left, women on the right, and then on the opposite side.

3. Choosing a one- or two-sided acupuncture option depends on which of the options the doctor prefers.

4. It is also advisable to prick the «paired» acupuncture meridian on the opposite side, with the coincidence of the number of lines and points of acupuncture by function: well-well, source-source, etc.

Algorithm of the «balancing hexagrams» method:

1. Establish an acupuncture diagnosis.
2. Select an acupuncture channel («affected» acupuncture channel) for therapeutic effect.

3. Determine the hexagram for the affected acupuncture channel («affected» hexagram).

4. Determine for the affected hexagram a hexagram that balances its pathological condition («favorable» hexagram).

5. Perform an acupuncture procedure at the corresponding acupuncture points of the «affected» acupuncture channel.

Clinical case: patient T., 43 years old, turned to a reflexologist in February 2018 with complaints of long-term dull throbbing headaches in the parietal and temporal regions (more on the left), swelling in the eyes and redness in them (more left). Periodic redness of the face, rise in blood pressure up to 150/90 mm also bothered me. mercury art., sleep disturbances, bitter taste in the mouth and muscle spasms. Prior to that, he had already undergone treatment courses (drug and acupuncture) with a neurologist and a reflexologist with an incomplete effect.

Clinical diagnosis: chronic tension headache; secondary insomnia and arterial hypertension; chronic gastritis.

Acupuncture diagnosis: headache due to the rise of hyperactive liver YANG (main). Other symptoms of the patient are also explained by the same hyperactive YANG of the liver: rush of blood to the face, arterial hypertension, sleep disturbances, chronic gastritis.

The tongue was red with a thin yellow coating, a stringy and rapid pulse was observed. The pulse was maximal in II position (deep) on the left and minimal in III position (also deep) on the left, which means deficiency of YIN («mother», kidney) and excess of YANG («son», liver).

So, an additional (syndromal) acupuncture diagnosis was: hyperactivity of the hepatic «Fire».

So, the affected hexagram is Kun, which corresponds to the element «Earth»-YIN

The «affected» meridian of acupuncture is the liver meridian (Fig. 1).

We choose a «favorable» hexagram for this condition. It is Da Chu (Education through the great), I Ching hexagram No.26 (one of its meanings is a good tip to use in a convenient situation) Fig. 2, [2,4,6].

6	☰	☷	Liv 8	K 10
5	☰	☷	Liv 5	K 7
4	☰	☷	Liv 4	K 4
3	☰	☷	Liv 3	K 3
2	☰	☷	Liv 2	K 2
1	☰	☷	Liv 1	K 1

Fig. 1. Correspondence in traditional Chinese medicine of the strokes of the «affected» Kun hexagram to the liver and kidney acupuncture meridian points [adapted by 11].



Fig. 2 Image for Hexagram No. 26 of I Ching Da Chu [6].

The previous state of integrity is the period when a person develops his best virtues and accumulates his merits. If they are implemented correctly, then so is a person can acquire enormous moral powers. They are, actually so to speak, and is the great one who can continue to educate. But such great moral strength is needed and the great object of their action. This object should be so wide, so that you can go beyond your personal boundaries. Therefore, the most important thing in this situation is to get out of your own way narrow sphere. In the previous situation, it was already achieved known synthesis of what is known and known again. But if a person would turn this synthesis only to his own benefit, then it would mean only overcoming one's faults. Here it is necessary to act in such a way that this action extends to other people, only then it can be called great. Of this reason can be said that it is not only meant here upbringing big, but also great upbringing. Therefore, in the text we see: «Education is great. Favorable stability. Hosulk not only from your home. Happiness. Favorable ford across a big river» [2]. The general meaning of the hexagram No. 26 Da Chu (possession of the great) in traditional Chinese medicine [2,4,6]:

General imaginative meaning: Mount Heaven is raised by the great.

Image: a dragon hiding in a valley.

Symbol: a mountain is made of grains of sand.

Support. Feeding. Harvest. Be active. Success.

Great achievements. Carry things together. Avoid applying too thinly.

Rely on a professional advisor. Be focused on the goal for a favorable outcome. Manage the collection of many energies, make a large accumulation. Focus your positive energy in a favorable place. Accumulate spirit. Favorable time to overcome significant obstacles. Medical value. Prognostic: significant intoxication. Symptoms worse at night than during the day. Dominant symptoms. Chronic cough. Tuberculosis. Anury. Abscesses. Indications for acupuncture treatment: diseases due to chronic stress. Severe or prolonged headache. Depression. Cramps all over the body. Anxiety that disrupts brain activity. Constipation with abdominal pain. Illness due to pathogenic «Wind». The rise of the hyperactive «Heat» to the top.

Characterizing hexagram No. 26 Da Chu positively, it should be noted that the upper trigram of hexagram No. 26 Da Chu – Gen corresponds to «Earth», and its lower trigram – Qian – corresponds to «Metal».

That is, «Earth» heals «Earth», and «Metal» is the «son» of «Earth», which is important in the treatment of «excess» (hyperactive liver Yang syndrome is «excess» from the point of view of traditional Chinese medicine).

Also, the lines of this hexagram, which are opposite to the lines of the «affected» hexagram (according to which acupuncture points should be selected for influence), correspond to the patient's clinical symptoms. In addition, this hexagram is positively correlated with the acupuncture season. And, thus, we choose the following acupuncture points for influence (Fig. 3):




Fig. 3 Acupuncture points for exposure. We choose points corresponding to the «opposite» (on the «affected» hexagram in relation to the «favorable» hexagram) – 1,2, 3, 6 dashes for the acupuncture effect [adapted by 11]. Acupuncture prescription for this case (Fig. 3),[5,11]:

The male patient has problems on the left side (pains mainly in the left temple and eye symptoms mainly on the left side), we inject acupuncture points Liv 1, Liv 2, Liv 3, Liv 8 on the right side.

On the left side, we prick acupuncture points G 44, G 43, G 41, G 34 (a paired channel that enhances the effect of acupuncture treatment, acupuncture points for influence are similar to the number of lines of the "affected" hexagram).

The procedure of acupuncture according to the method of "balancing hexagrams" was carried out 3 times during the course of treatment, which consisted of 15 sessions.

A "nosological" acupuncture recipe was also used, in particular the following acupuncture points: GV 20, B 10, EX 1 (Si-Shen-Tsung), Liv 3, K 3, SP 6, SI 3, B 67, PS 9, TE 5, G 5, G 20, G 34, G 39, G 41, G 43, AP-35 (temple), AP-36 (top of skull), AP-97 (liver), AP-96 (pancreas/gallbladder) [1,3].

Bibliography:

1. Здибский В. І. Рефлексотерапия при некоторых заболеваниях периферической нервной системы. Международный неврологический журнал. № 4(50), 2012. С. 144–155.
2. І-цзін. Книга змін / пер. з рос. Є. В. Тарнавського/. – Харків: Фоліо, 2018. 281 с.
3. Свиридова Н., Морозова О., Чуприна Г., [та ін.] Рефлексотерапія: підручник за ред. Н. К. Свиридової, О. Г. Морозової. К.: ТОВ СІКГРУП Україна, 2017.- Т. 1.- 3, 1108 с.
4. Свиридова Н., Морозова О., Чуприна Г.[та ін.] Рефлексотерапія: підручник за ред. Н. К. Свиридової, О. Г. Морозової. К.: ТОВ «Тропеа», 2023. Т. 4. 220 с.
5. Чуприна Г., Середа В., Краснов В., Новошицький В. Застосування рефлексотерапії за методом «балансування гексаграм» в комплексній реабілітації хронічного холециститу з цефалгічним синдромом. Сучасна медицина, фармація та психологічне здоров'я. 2023. Вип. 3 (12). С. 31–35.
6. Чжунхуа Ч. Дао И-Цзина. Киев: Софія, 360 с.
7. Acupuncture therapy for neurological diseases: a neurobiological view (2010) / Xia Y. [et al.]; eds. Y. Xia., X. Cao., G. Wu., J. Cheng. – Beijing: Tsinghua university press and Berlin, Heidelberg: Springer Verlag,– 474 p.
8. Chinese acupuncture and moxibustion (1987). Beijing: Foreign languages press, 554 p.
9. Chinese acupuncture and moxibustion (2002). Shanghai: Publishing house of Sanghai University of TCM, 371 p.
10. Current research in acupuncture (2013) /Y. Xia [et al.]; eds. Y. Xia.,G. Ding, G-C. Wu. –New York: Springer science + Business media, 2013. – 731 p.
11. Twicken D. I Ching acupuncture. The balance method /clinical applications of the Ba Gua I Ching/ London and Philadelphia: Singing Dragon, 2012. 275 p.