

МІЖРЕГІОНАЛЬНА АКАДЕМІЯ УПРАВЛІННЯ ПЕРСОНАЛОМ
INTERREGIONAL ACADEMY OF PERSONNEL MANAGEMENT



ISSN 2786-7153 (Print)
ISSN 2786-7161 (Online)

**СУЧАСНА МЕДИЦИНА,
ФАРМАЦІЯ
ТА ПСИХОЛОГІЧНЕ ЗДОРОВ'Я**

**MODERN MEDICINE,
PHARMACY
AND PSYCHOLOGICAL HEALTH**

**ВИПУСК 2 (16)
ISSUE 2 (16)**

2024



**Видавничий дім
«Гельветика»
2024**

***Recommended for publication
by Interregional Academy of Personnel Management
(Minutes No. 8 dated 27.06.2024)***

Modern Medicine, Pharmacy and Psychological Health / [chief editor N. Svyrydova]. – Kyiv: Interregional Academy of Personnel Management, 2024. – Issue 2 (16). – 112 p.

Journal «Modern Medicine, Pharmacy and Psychological Health» is a peer-reviewed scientific medical edition, which publishes materials of scientists of various levels in the form of scientific articles for the purpose of their dissemination both among domestic researchers and abroad.

Editorial board do not necessarily reflect the position expressed by the authors of articles, and are not responsible for the accuracy of the data and references.

Until September 2, 2022, the journal had a name “Psychological Health”.

***The idea of creating
edition:***

Nina Koliadenko – Doctor of Medicine, Associate Professor, professor of the Department of Medical Psychology of the Institute of Medical and Pharmaceutical Sciences, Interregional Academy of Personnel Management (Ukraine).

Chief editor:

Svyrydova N. K. – MD. of Sciences, prof., acting Director of the Institute of Medical and Pharmaceutical Sciences, Interregional Academy of Personnel Management (Ukraine).

Editorial Board:

Natalia Berezniakova – Doctor of Pharmacy, Professor, Senior Lecturer at the Department of Medical Chemistry, National University of Pharmacy (Ukraine); **Ihor Bielenichev** – Doctor of Biology, Professor, Head of the Department of Pharmacology and Medical Formulation with Course of Normal Physiology, Zaporizhzhia State Medical and Pharmaceutical University (Ukraine); **Nadiia Horchakova** – Doctor of Medicine, Professor at the Department of Pharmacology, Bogomolets National Medical University (Ukraine); **Oleksandra Holovchanska** – Doctor of Medicine, Associate Professor, Senior Lecturer at the Department of Dentistry, Bogomolets National Medical University (Ukraine); **Anna Doroshenko** – PhD in Pharmacy, Assistant at Pharmacology Department, Bogomolets National Medical University (Ukraine); **Olena Doroshenko** – Doctor of Medicine, Professor, Director of the Institute of Dentistry, Shupyk National Healthcare University of Ukraine (Ukraine); **Oleh Druz** – Doctor of Medicine, Honored Doctor of Ukraine, Head of the Psychiatry Clinic, National Military Medical Clinical Center «Main Military Clinical Hospital», Professor at the Department of Medical Psychology, Institute of Medical and Pharmaceutical Sciences, Interregional Academy of Personnel Management (Ukraine); **Khrystyna Zhyvaho** – Doctor of Medicine, Associate Professor of the Department of Medical Psychology, Higher educational institution "Interregional Academy of Personnel Management" (Ukraine); **Tetiana Iliina** – Doctor of Pharmacy, Professor, Professor at the Department of Pharmacognosy, Kyiv Medical University (Ukraine); **Andrii Karachevskyi** – PhD in Medicine, Associate Professor, Senior Lecturer at the Department of General, Child, Forensic Psychiatry and Narcology, Shupyk National Healthcare University of Ukraine (Ukraine); **Igor Kireyev** – Doctor of Medicine, Professor, Professor of the Department of Pharmacology and Pharmacotherapy, National University of Pharmacy (Ukraine); **Dmytro Maltsev** – PhD in Medicine, Associate Professor, Head of the Laboratory of Immunology and Molecular Biology of the Institute of Experimental and Clinical Medicine, Bogomolets National Medical University (Ukraine); **Borys Mykhailov** – Doctor of Medicine, Professor, Professor at the Department of General, Child, Forensic Psychiatry and Narcology, Shupyk National Healthcare University of Ukraine (Ukraine); **Mohamad Nusier Khalid Ibrahim** – Doctor of Medicine, Professor, Head of the Department of Biochemistry, Jordan University of Science and Technology (Irbid, Jordan); **Anzhela Olkhovska** – Doctor of Pharmacy, Associate Professor, Professor at the Department of General and Clinical Pharmacy, Interregional Academy of Personnel Management (Ukraine); **Oleg Panchenko** – Doctor of Medicine, Professor, General director, State Institution "Scientific and Practical Medical Rehabilitation and Diagnostic Center the Ministry of Health Care of Ukraine" (Ukraine); **Nataliia Svyrydova** – Doctor of Medicine, Professor, Head of the Department of Neurology and Reflexotherapy, Shupyk National Healthcare University of Ukraine (Ukraine); **Vitalii Omelianovych** – Doctor of Medicine, Professor, Professor at the Department of General, Child, Forensic Psychiatry and Narcology, Shupyk National Healthcare University of Ukraine (Ukraine); **Oleksii Soloviov** – Doctor of Medicine, Doctor of Pharmacy, Professor, Professor at the Department of General and Clinical Pharmacy of the Institute of Medical and Pharmaceutical Sciences, Interregional Academy of Personnel Management (Ukraine); **Oleksandr Kharchenko** – Doctor of Medicine, Professor at the Department of Anatomy, Clinical Anatomy, Operative Surgery, Anatomic Pathology and Forensic Medicine of the Medical Institute, Petro Mohyla Black Sea National University (Ukraine); **Inna Chernenko** – PhD in Medicine, Resident of the Psychiatry Clinic, National Military Medical Clinical Center «Main Military Clinical Hospital», Senior Lecturer at the Department of Medical Psychology, Institute of Medical and Pharmaceutical Sciences, Interregional Academy of Personnel Management (Ukraine); **Valerii Chernob** – Doctor of Medicine, Professor, Professor at the Department of Anatomy, Clinical Anatomy, Operative Surgery, Anatomic Pathology and Forensic Medicine of the Medical Institute, Petro Mohyla Black Sea National University (Ukraine); **Vitalii Chopchyk** – Doctor of Medicine, Associate Professor, Professor at the Department of Dentistry, Bogomolets National Medical University (Ukraine).

*Registration of Print media entity: Decision of the National Council of Television and Radio Broadcasting of Ukraine:
Decision No. 1173 as of 11.04.2024.*

The journal “Modern Medicine, Pharmacy and Psychological Health” is included in the List of scientific professional periodicals of Ukraine (category B) according to the Order of the MES of Ukraine № 530 (Annex 2) dated 06.06.2022, Order of MES of Ukraine No. 1166 (Annex 3) dated 23.12.2022, Order of MES of Ukraine No. 491 (Annex 3) dated 27.04.2023. Specialities: 225 – Medical psychology, 226 – Pharmacy, 221 – Stomatology, 222 – Medicine.

All electronic versions of articles in the collection are available on the official website edition
<http://journals.maup.com.ua/index.php/psych-health>

The articles were checked for plagiarism using the software
StrikePlagiarism.com developed by the Polish company Plagiat.pl.

© Interregional Academy of Personnel Management, 2024
© Copyright by the contributors, 2024

CONTENTS

MEDICINE

Olga VERNER, Natalia SVYRYDOVA, Gennadii CHUPRYNA, Vitaly SEREDA, Nadiya TORDIYA THE USE OF REFLEXOTHERAPY ACCORDING TO THE METHOD OF «BALANCING HEXAGRAMS» IN THE COMPLEX REHABILITATION OF THORACALGIA WITH LONG-TERM PAIN SYNDROME.....	8
Fedir HLADKYKH THE FUNCTIONAL STATE OF THE KIDNEYS IN EXPERIMENTAL AUTOIMMUNE HEYMAN NEPHRITIS AGAINST THE BACKGROUND OF THE INTRODUCTION OF CRYOEXTRACTS OF THE PLACENTA AND SPLEEN, AS WELL AS THE CONDITIONED MEDIUM OF MESENCHYMAL STEM CELLS.....	13
Tetiana KOMAROVA, Vita KONAKH VITAMIN D: A NEW PERSPECTIVE ON ITS ROLE IN OPHTHALMIC PATHOLOGIES.....	24
Natalia SVYRYDOVA, Gennadii CHUPRYNA, Vitaly SEREDA, Olga VERNER, Nadiya TORDIYA THE POSSIBILITY OF APPLYING REFLEXOTHERAPY USING THE «BALANCING OF HEXAGRAMS» METHOD IN COMPLEX REHABILITATION OF WOMEN WITH REPRODUCTIVE DISORDERS	35
Vitaly SEREDA, Natalia SVYRYDOVA, Gennadii CHUPRYNA, Olga VERNER, Nadiya TORDIYA THE USE OF REFLEXOTHERAPY ACCORDING TO THE METHOD OF «BALANCING HEXAGRAMS» IN THE COMPLEX REHABILITATION OF VERTEBROGENIC LUMBOISCHIALGIA WITH LONG-TERM PAIN SYNDROME.....	39
Liliia SOROKA CORRELATION BETWEEN EPILEPTIC SEIZURES AND SPEECH DISORDERS IN CHILDREN	45
Pavlo TANASIENKO, Serhiy GURIEV, Ivan KOVALISHYN COMPARATIVE CHARACTERISTICS OF TREATMENT METHODS FOR FLOATING HIP FRACTURES IN PATIENTS WITH POLYTRAUMA	51
Gennadii CHUPRYNA, Vitaly SEREDA, Natalia SVYRYDOVA, Olga VERNER, Nadiya TORDIYA THE USE OF REFLEXOTHERAPY ACCORDING TO THE METHOD OF «BALANCING HEXAGRAMS» IN COMPLEX REHABILITATION OF CHRONIC TENSION HEADACHE	56

STOMATOLOGY

Oleksiy BIDA, Anatoly KUTSYUK EVALUATION OF THE SUCCESS OF DIRECT AND INDIRECT RESTORATIONS IN THE REPLACEMENT OF DEFECTS OF HARD TISSUES OF CHEWING TEETH WITH DIFFERENT DEGREES OF THEIR DESTRUCTION...60	
Pavlo BREKHLICHUK HISTORICAL ASPECTS OF DEVELOPMENT AND CURRENT STATUS OF FORENSIC DENTAL EXPERTISE (LITERATURE REVIEW).....	69
Olena DOROSHENKO, Oleksandr SHEPELYNSKIY STUDY OF THE FUNCTIONAL ACTIVITY OF MASTICATORY MUSCLES IN PATIENTS WITH COMPLETE LOSS OF TEETH, REHABILITATED WITH DIFFERENT DESIGNS OF DENTAL PROSTHESES	75
Mykola ROZHKO, Oleg SAVCHUK, Rostyslav STUPNYTSKYI, Anastasia DENG, I.-O. STUPNYTSKYI PERSPECTIVES OF THE DIGITAL METHODS OF DIAGNOSIS USAGE AND PLANNING OF DENTAL TREATMENT IN MILITARY FIELD CONDITIONS.....	81

MEDICAL PSYCHOLOGY

Ivan KLYMENKO

THE ROLE OF PSYCHOLOGISTS IN IMPLEMENTING A COMPREHENSIVE MEDICAL-PSYCHOLOGICAL ASSISTANCE PROGRAM FOR REFUGEES: EXPERIENCE AND CHALLENGES.....85

Tetiana SHEVCHUK

ASSESSMENT OF THE PSYCHO-EMOTIONAL STATE OF MEDICAL FACULTY STUDENTS AT THE STAGE OF ADAPTATION TO EDUCATIONAL PROCESS.....91

PHARMACY, INDUSTRIAL PHARMACY

Olena KUCHMISTOVA, Nataliia ZAIARNIUK, Nataliia MONKA, Aelita KRYCHKOVSKA, Viktoriia TARASENKO

PATENT SEARCH CLUSTER IN THE DEVELOPMENT OF A NEW MEDICINAL AND COSMETIC PRODUCT IN THE FORM OF LIPSTICK96

Zeyuan SUN, Tetiana DERKACH

ANTIOXIDANT ACTIVITIES OF PETROLEUM ETHER, ETHYL ACETATE, N-BUTANOL AND AQUEOUS EXTRACTS FROM *SPERANSKIA TUBERCULATA (BUNGE) BAILL* HERB.....101

Svitlana FEDENKO, Tetiana VOLOSHENIUK, Galina RIZAK

ANALYSIS OF THE INFLUENCE OF INNOVATIVE TECHNOLOGIES ON THE DEVELOPMENT OF THE PHARMACEUTICAL MARKET IN UKRAINE.....106

UDC 615.814.1

DOI <https://doi.org/10.32689/2663-0672-2024-2-4>

Natalia SVYRYDOVA

Doctor of Medical Sciences, Professor, Director of the Institute of Medical and Pharmaceutical Sciences, Interregional Academy of Personnel Management, natalia.svyrydova@gmail.com

ORCID: 0000-0002-2166-5904

Gennadii CHUPRYNA

Doctor of Medical Sciences, Professor at the Department of Therapy and Rehabilitation, Interregional Academy of Personnel Management, gen7chupryna@gmail.com

ORCID: 0000-0003-1351-015X

Vitaly SEREDA

Candidate of Medical Sciences, Head of the Department of General Medical Disciplines, Interregional Academy of Personnel Management, servit1967@gmail.com

ORCID: 0000-0003-2498-0333

Olga VERNER

Candidate of Medical Sciences, Department of General Medical Disciplines, Interregional Academy of Personnel Management, tavr77@ukr.net

ORCID: 0000-0002-7588-5742

Nadiya TORDIYA

Candidate of Biological Sciences, Department of General Medical Disciplines, Interregional Academy of Personnel Management, ntordiya@yahoo.com

ORCID: 0009-0007-9005-2873

THE POSSIBILITY OF APPLYING REFLEXOTHERAPY USING THE «BALANCING OF HEXAGRAMS» METHOD IN COMPLEX REHABILITATION OF WOMEN WITH REPRODUCTIVE DISORDERS

The article is devoted to one of the important problems – complex treatment of infertility. And although this problem can be overcome only with a comprehensive approach – the joint efforts of reproductive medicine doctors, the task of a reflexotherapy doctor is to prepare the patient «energetically» for a successful in vitro fertilization procedure, or for some other special technique.

Complex treatment using reflextherapy methods has been used for a long time, not only in the case of neurological diseases, but also in various psychosomatic disorders, which can be an obstacle to the onset of pregnancy complex approach was used to treat a patient with infertility in particular the method of «balancing hexagrams».

Purpose. To consider the peculiarities of the use of reflexotherapy according to the method of «balancing hexagrams» in the complex rehabilitation of patients with reproductive disorders.

Scientific novelty. For the first time in our country, the technique of compiling acupuncture prescriptions and acupuncture using the method of «balancing hexagrams» was used in the complex rehabilitation of patients with reproductive disorders.

Methods. We consider one clinical case of the use of reflexotherapy using the method of «balancing hexagrams» in the complex rehabilitation of a patient with infertility. The used methods of clinical objective examination, the syndromal diagnosis method of traditional Chinese medicine, the pulse diagnosis method, and the tongue diagnosis method are shown. The method of making an acupuncture prescription according to the method of «balancing hexagrams» is discussed in detail and concretely in this case.

Results. As a result of treatment using the method of «balancing hexagrams», the repeated procedure of in vitro fertilization was successfully completed, pregnancy occurred and ended with the birth of a healthy child.

Conclusions. 1. Patients with reproductive disorders are seen in the practice of a reflexologist.

2. The use of the acupuncture method «balancing hexagrams» can be effective in the complex of treatment measures for reproductive disorders.

Key words: rehabilitation, reflexotherapy, «balancing hexagrams» method, reproductive disorders, infertility.

Наталія Свиридова, Геннадій Чуприна, Віталій Середа, Ольга Вернер, Надія Тордія. МОЖЛИВІСТЬ ЗАСТОСУВАННЯ РЕФЛЕКСОТЕРАПІЇ ЗА МЕТОДИКОЮ «БАЛАНСУВАННЯ ГЕКСАГРАМ» У КОМПЛЕКСНІЙ РЕАБІЛІТАЦІЇ ЖІНОК З РЕПРОДУКТИВНИМИ РОЗЛАДАМИ

Стаття присвячена одній з важливих проблем – комплексному лікуванню неплідності. І хоча цю проблему можна подолати лише комплексним підходом – спільними зусиллями лікарів-репродуктологів, задача лікаря-рефлексотерапевта – підготувати пацієнтку «енергетично» для успішної процедури екстракорпорального запліднення, або до якоїсь іншої спеціальної методики.

Комплексне лікування з використанням методів рефлексотерапії застосовується вже давно не тільки при неврологічних захворюваннях, але і при різних психосоматичних розладах, що можуть являти собою перешкоду настання вагітності.

Мета. Розглянути особливості застосування рефлексотерапії за методом «балансування гексаграм» в комплексній реабілітації пацієнток з репродуктивними розладами.

Наукова новизна. Вперше в нашій країні використано методику складання акупунктурних рецептів і акупунктуру за методом «балансування гексаграм» в комплексній реабілітації пацієнток з репродуктивними розладами.

Методи. Ми розглядаємо один клінічний випадок застосування рефлексотерапії за методом «балансування гексаграм» в комплексній реабілітації пацієнтки з неплідністю. Показані використані методи клінічного об'єктивного обстеження, метод синдромальної діагностики традиційної Китайської медицини, метод діагностики по пульсу, метод діагностики по языку. Детально обговорюється методика складання акупунктурного рецепту за методом «балансування гексаграм» і конктетно в цьому випадку.

Результати. В результаті лікування за методом «балансування гексаграм» повторна процедура екстракорпорального запліднення завершилась вдало, вагатність наступила і закінчилась народженням здорової дитини.

Висновки. 1. Пацієнти з репродуктивними розладами зустрічаються в практиці рефлексотерапевта.

2. У комплексі лікувальних заходів при репродуктивних розладах ефективним може бути застосування акупунктурного методу «балансування гексаграм».

Ключові слова: реабілітація, рефлексотерапія, метод «балансування гексаграм», репродуктивні розлади, неплідність.

Introduction. According to WHO, approximately 1 in 6 women in the world suffers from infertility. Its treatment is an important demographic and socio-economic problem worldwide, for the solution of which assisted reproductive technologies are used. Assisted reproductive technologies are methods of treating infertility, in which manipulations with reproductive cells, individual or all stages of preparation of reproductive cells, processes of fertilization and development of embryos before their transfer to the recipient's uterus are carried out in vitro [1].

During 2006 – 2015, the number of initiated treatment cycles using the methods of assisted reproductive technologies increased by 3.5 times and amounted to 18,871 treatment cycles in 2015. The frequency of clinical pregnancy from initiated treatment cycles of assisted reproductive technologies in 2015 was 36.56% against 33.53% in 2006.

Therefore, there is no doubt about the professionalism of domestic specialists, which makes assisted reproductive technologies attractive both for the Ukrainian population and for foreigners.

At the same time, there are cases when, after applying several procedures of assisted reproductive technologies, a clinical pregnancy did not occur in a woman. Then, as preparation for the use of a special procedure of assisted reproductive technologies, the use of reflexotherapy methods can be considered.

Complex treatment using reflextherapy methods has been used for a long time, not only in the case of neurological diseases, but also in various psychosomatic disorders [2, 4, 5, 6], which can be an obstacle to the onset of pregnancy [8, 9, 10, 11]. It is known that acupuncture, especially in the «distal» points of acupuncture (there are 66 of them in total and they are located in the distal parts of the limbs – below the knee to the toes and below the elbow to the fingers of the hand, and according to the method of «balancing hexagrams» it is they that are used) has a powerful effect on the central nervous system, able

to have a positive effect in the case of psychosomatic disorders. Below, we would like to cite a clinical case where a complex approach was used to treat a patient with infertility in particular the method of «balancing hexagrams».

Presentation of the main material. The method of «balancing hexagrams» is one of the methods of compiling acupuncture prescriptions [7, 12], of which there are many in the practice of acupuncture. It is used as an adjunct to basic acupuncture treatment.

In acupuncture, after mastering the basics of the profession, important importance is attached to the preparation of acupuncture recipes. We would like to remind you that the hexagrams of the I-ching were considered by K.G. Jung (one of the creators of psychoanalysis) as a «source of archetypes», and that K.G. Jung even proposed a method of selecting the «individual human hexagram» in prognostic terms by tossing coins. The I Ching hexagrams can also be used in various ways to make acupuncture recipes.

For example, the «affected» hexagram is always located next to the used one, and when their lines are opposite, an acupuncture procedure is performed. «Pure» hexagrams (corresponding to acupuncture meridians – Qian VB and V, Dui C and MC, Li RP, Zhen GI, Xun P, Kan E, Gen IG and TR, Kun F and R) are used as «afflicted» and in the corresponding the acupuncture meridians are used for the acupuncture procedure.

«Forbidden» hexagrams are not used: No28 Da-Go (redevelopment of the great), No29 Xi-Kang (repeated danger), No39 Jian (obstacle), No47 Kun (exhaustion). Other hexagrams are used based on indications.

The method of «balancing hexagrams» is used with 20 specially selected «auspicious» hexagrams, and when the lines of them and the «affected» hexagram are opposite, an acupuncture procedure is performed. This method dates back to the time of Wen Wang (approximately 8-7 centuries BC), who invented it.

Hexagrams of the I Ching, from among which the «auspicious» hexagram is chosen: No. 7 Shi (Army), No.

8 Bi (Approach), No. 9 Xiao Chu (Education of children), No. 11 Tai (Prosperity), No. 13 Tong Zhen (Like-minded), No. 14 Da Yu (Possessing the Great), No. 18 Gu (Spoiling), No. 19 Lin (Visiting), No. 24 Fu (Return), No. 26 Da Chu (Education of the Great), No. 31 Xian (Interaction), No. 32 Heng (Permanence), No. 34 Da Zhuang (Power of the Great), No. 37 Jia Zhen (Domestic), No. 40 Jie (Decision), No. 42 Yi (Multiplication), No. 50 Ding (Sacrificer), No. 55 Feng (Remainder), No. 61 Zhong Fu (Inner Truth), No. 63 Ji Ji (Already the End).

The method of «balancing hexagrams» is used primarily when there are psycho-emotional problems (psychosomatics) in various diseases, the frequency of its application: 1 session for 4-5 «nosological» (ordinary) acupuncture procedures.

The first thing to do using this method is to find the «affected» acupuncture meridian based on acupuncture diagnostic methods. Then you need to pick up, in accordance with it, the «affected» hexagram. And then, from 20 possible options, choose a «favorable» hexagram.

Acupuncture procedure using the «balancing hexagrams» method:

according to this method, an acupuncture procedure is performed at the acupuncture points of the «affected» acupuncture channel (there is a correspondence between the acupuncture channel, its distal acupuncture points and the hexagram), when the lines of the «affected» hexagram are opposite to the lines of the «favorable» hexagram.

Acupuncture points corresponding to these risks are pricked because they coincide with the places of CHI stagnation in the given acupuncture channels, and when these acupuncture points are pricked, the stagnation should be eliminated – that is, the acupuncture channel is cleared. Treatment of CHI disorders in the acupuncture channel restores the energy balance in it.

Clinical case:

Patient M. is a 33-year-old woman with infertility. After carrying out 2 procedures of in vitro fertilization, pregnancy did not occur. Her husband is healthy. She turned to a reflexologist in the spring of 2012.

Among the complaints and clinical neurological signs, the patient had severe vagotonia with a significant subjective feeling of coldness in the feet and lower back and a decrease in libido; among the general clinical manifestations – edema in the legs and paleness of the skin.

Clinical diagnosis: primary infertility, lack of effect from 2 procedures of in vitro fertilization.

Acupuncture diagnostics: during pulse diagnostics, a deep and slow pulse was determined. During diagnosis of the tongue, the tongue was pale, with a subtle white coating.

Thus, the acupuncture diagnosis was: kidney YANG deficiency, that is, the ovum does not have enough vital

energy for fertilization to occur. The reflex therapist's task is to prepare the patient «energetically» for the repeated in vitro fertilization procedure.

According to traditional Chinese medicine, the kidneys are responsible for the process of reproduction, their reserve of «reserve energy» contributes to fertilization, the hexagram corresponding to the kidneys is Kun, («affected») – the element «Earth» – YIN. (the «affected» acupuncture meridian is the kidney meridian) (Fig. 1).

We choose a «favorable» hexagram for this condition: it is Feng, I Ching hexagram No. 55.

The general meaning of hexagram No. 55 Fen in traditional Chinese medicine [3]:

Thunder Fire makes enough

Step into today's clarity and say goodbye to yesterday's darkness.

Medical value

Prognostic: acute febrile diseases. Pains that quickly change localization. Liver YANG excess. Sexual overexertion. Eye disease. Pathology of pregnancy. Influenza with «Wind» and «Cold» with significant fever. Damage to the heart due to excessive YANG of the liver. Kidney YANG deficiency. Juvenile tuberculosis. Senile dementia.

Indications for acupuncture treatment: acute diseases with hyperthermia. Persistent heat syndrome. Rapid dynamics of symptoms with the onset of pain. An excess of YANG of the liver affects the heart. Kidney YANG deficiency. Blood stasis. CHI and Blood Disorders [4, 12].

Evaluating positively the hexagram No. 55 Feng, it should be noted that it has the following general meaning: fullness, fruitfulness, fertility, expansion, harmony, a sign of significant changes that should be accepted, action, success, which can be clearly associated with the desired onset of pregnancy.

In addition, this hexagram is associated with «internal positive energy that should be used for long-term improvement of function» (ie, it will work throughout the pregnancy process). And it is directly indicated for the correction of the «YANG kidney deficiency» condition.

The upper trigram of hexagram No. 55 Feng – Zhen corresponds to «Tree», and its lower trigram – Li – corresponds to «Fire», both have an influence on «Earth». That is, «Tree» controls «Earth», and «Fire» is the «mother» of «Earth», which is important in the treatment of «insufficiency» («kidney YANG deficiency»).

One of the two widespread concepts of traditional Chinese medicine: «all diseases arise due to deficiency». There are four types of deficiency (CHI deficiency, Blood deficiency, YIN deficiency, and YANG deficiency). In clinical practice, some patients have only one deficiency, some have two, and there are also patients

who have four deficiencies. The fewer the deficiencies, the milder the disease, and vice versa. As soon as a deficiency is formed, the patient loses resistance, and pathogens can easily enter the human body and cause disease [4, 5].

In addition, this hexagram is indicated for acupuncture use in the spring, which coincides with the season of acupuncture procedures.

Acupuncture recipe for this case:

The patient is a woman, so we prick the acupuncture points R-1, 3, 4 on the right side (the symptoms of the disease are generalized – infertility).

On the left side, we prick acupuncture points V 67, 65, 64 (a paired channel that enhances treatment, acupuncture points for influence are similar to the number of strokes of the «affected» hexagram).

The procedure of acupuncture according to the method of «balancing hexagrams» was carried out 3

times during the course of treatment, which consisted of 15 sessions.

The procedures were carried out every other day and also included the use of the prescription of extraordinary meridians (3rd pair), nosological prescription, namely acupuncture points: GI 4, F 3 («four gates»), E 36, 25; RP 4,6,10; VB 20, 34, 39; J 17, 15, 6; J -4, PC -49 zi chun («magic triangle of dysmenorrhea») [3,7,12].

As a result of treatment using the method of «balancing hexagrams», the repeated procedure of in vitro fertilization was successfully completed, pregnancy occurred and ended with the birth of a healthy child.

Conclusions. 1. Patients with reproductive disorders are seen in the practice of a reflexologist.

2. The use of the acupuncture method «balancing hexagrams» can be effective in the complex of treatment measures for reproductive disorders.




Fig. 1 [adapted by 12]. Correspondence in traditional Chinese medicine of the strokes of the «affected» Kun hexagram to the liver and kidney acupuncture meridian points.




Fig. 2 [adapted by 12]. Acupuncture points for exposure. We choose points corresponding to the «opposite» (on the «affected» hexagram in relation to the «favorable» hexagram) – 1, 3, 4 dashes for the acupuncture effect.

Bibliography:

1. Заліська О. М., Гуз В. С. Допоміжні репродуктивні технології у світі й Україні та їхні фармакоекономічні аспекти. Рациональна фармакотерапія. 4 (21). 2011. С. 35–37.
2. Мачерет Е. Л., Коркушко А. О. Основы традиционной китайской медицины в рефлексотерапии. К.: Дія, 2005. 397 р.
3. Мачерет Е. Л., Лисенюк В. П., Самосюк І. З. Атлас акупунктурных зон.– К.: Вища школа, 1986. 255 р.
4. Свиридова Н., Морозова О., Чуприна Г. [та ін.] Рефлексотерапія: підручник за ред. Н. К. Свиридової, О. Г. Морозової. К.: ТОВ «Тропеа», 2023. Т. 4. 220 с.
5. Свиридова Н., Морозова О., Чуприна Г., [та ін.] Рефлексотерапія: підручник за ред. Н. К. Свиридової, О. Г. Морозової.- К.: ТОВ СІКГРУП Україна, 2017.- Т. 1.- 3, 1108 с.
6. Свиридова Н., Чуприна Г., Парнікоза Т. [та ін.] Вибрані питання застосування методів рефлексотерапії у лікуванні больових синдромів [Посібник для лікарів-слухачів закладів (факультетів) післядипломної освіти].- К.: ТОВ «Тропеа», 2023. 202 с.
7. Чуприна Г., Серета В., Краснов В., Новошицький В. Застосування рефлексотерапії за методом «балансування гексаграм» в комплексній реабілітації хронічного холециститу з цефалгічним синдромом. Сучасна медицина, фармація та психологічне здоров'я. 2023. Вип. 3 (12). С. 31–35.
8. Acupuncture therapy for neurological diseases: a neurobiological view (2010) / Xia Y. [et al.]; eds. Y. Xia., X. Cao., G. Wu., J. Cheng. – Beijing:Tsinghua university press and Berlin, Heidelberg: Springer Verlag. 474 p.
9. Chinese acupuncture and moxibustion (1987). Beijing: Foreign languages press. 554 p.
10. Chinese acupuncture and moxibustion (2002). Sanghai: Publishing house of Sanghai University of TCM, 371 p.
11. Current research in acupuncture (2013) /Y. Xia [et al.]; eds. Y. Xia.,G. Ding, G-C. Wu. – New York: Springer science + Business media. 731 p.
12. Twicken D. I Ching acupuncture. The balance method /clinical applications of the Ba Gua I Ching/ London and Philadelphia: Singing Dragon, 2012. 275 p.